











**Quick and easy to the correct
Load transporters**

| | Powered stairclimbers | | | | | |
|---|---|---|--|---|--|---|
| | NEO LIFTKAR [®] SAL | | LIFTKAR [®] HD | | | |
| | NEO SAL Fold-L | NEO SAL Fold | HD Universal | HD Fold | HD Dolly | HD Fold Dolly |
| |  |  |  |  |  |  |
| Description | The all-rounder, compact & stable | The compact one, easy to transport | full power for high and heavy loads | adjustable grip angle - ideal for compact, heavy goods | HD Universal with folding support wheels - for long distances | HD Fold with folding support wheels - for long distances |
| Application examples | large refrigerators, doors, windows, furniture, kitchen worktops, tiles | washing machines, gas cylinders, floor grinders | electrical enclosures, drinks dispensers, gaming machines, large boilers, solar heating vessels, heavy rolls of linoleum | photocopiers, cast-iron stoves, boilers, batteries, lift motors, safes | electrical enclosures, drinks dispensers, gaming machines, large boilers, solar heating vessels, heavy rolls of linoleum | photocopiers, cast-iron stoves, boilers, batteries, lift motors, safes |
| Load capacity | 110 kg / 140 kg / 170 kg | 110 kg / 140 kg / 170 kg | 330 kg | 330 kg | 330 kg | 330 kg |
| Weight of base unit without battery pack | 12.2 kg | 16 kg | 35 kg | 36 kg | 42 kg | 43.5 kg |
| Weight of battery pack | 1.6 kg | 1.6 kg | 4 kg | 4 kg | 4 kg | 4 kg |
| Operates on steep and narrow spiral staircases | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Folding | ✓ | ✓ | - | ✓ | - | ✓ |
| Transport up and down stairs | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Transport on the level | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Autonomy (max.) | approx. 2000 steps | approx. 2000 steps | 120 steps | 120 steps | 120 steps | 120 steps |
| Climbing speed | up to 48 (steps/min) | up to 48 (steps/min) | up to 10 (steps/min) | up to 10 (steps/min) | up to 10 (steps/min) | up to 10 (steps/min) |

| | Powered stairclimbers | Manual transport units | | |
|---|---|--|---|---|
| | LIFTKAR [®] MTK | UNIKAR | MODULKAR [®] | |
| | MTK | Unikar | Modulkar hand truck | Modulkar water bottle truck |
| |  |  |  |  |
| Description | the classic in steel for loads up to 310 kg | universal lifting hand truck for loads up to 120 kg | superior-quality hand truck for loads up to 300 kg | water bottle truck with pistol grips and runners |
| Application examples | stoves, safes, boilers, engines | shelf stacking, mobile work platform for lifting heights up to 1.6 m | for professionals with the highest quality demands | transport of up to 7 water bottles |
| Load capacity | 190 kg / 310 kg | 120 kg | 300 kg | 300 kg |
| Weight of base unit without battery pack | 31 kg / 35.5 kg | from 25.5 kg | from 8 kg | 14.5 kg |
| Weight of battery pack | 5 kg | - | - | - |
| Operates on steep and narrow spiral staircases | ✓ | - | - | - |
| Folding | ✓ | - | - | - |
| Transport up and down stairs | ✓ | - | ✓ | ✓ |
| Transport on the level | ✓ | ✓ | ✓ | ✓ |
| Autonomy (max.) | 220 steps / 120 steps | - | - | - |
| Climbing speed | up to 18 / 10 (steps/min) | - | - | - |